

סדרת פעמוני תאורת לד מקצועיים - HIGH BAY בדרגת איטמות IP65 וביעילות אורית של כ- 110Lm/w. תחליף מלא לגופי תאורת מטל הלייד עד 400W. חיסכון אנרגטי של כ- 60% בצריכת החשמל, עיצוב מושלם ונקי במשקל מינימלי. הגוף כולל טבעת ולולאה במגוון שיטות התקנה, ומיועד להארה במחסנים, מרכזים לוגיסטיים, חנויות, גלריות, מבואות ותאורה כללית.



מק"ט - 10531506

דגם - 4058075408449

קישור לדף מוצר ואביזרים נלווים באתר



3Years Guarantee | VALUE | 220-240V 50-60Hz | IP65 | IK06 | מתאים לדרשות התקן הישראלי



**DIMENSIONS & WEIGHT**

**מידות ומשקל**

Height	51.4mm
Diameter	270mm
Product weight	1770g

**MATERIALS & COLORS**

**מבנה וגימור**

Product color	black
Body material	aluminum
Protection class IEC 62262	IK06
Cover finishing	milky
Cover material	Tempered glass

## ELECTRICAL DATA

## נתונים חשמליים

Nominal wattage	150W
Nominal current	0.65A
Nominal voltage	220-240V
Mains frequency	50/60Hz
Protection class	Class 1
Operating mode	Internal LED driver
Driver manufacturer	Integrated
Power factor	>0.99
THDi	<20%
Inrush current	10.3A
Inrush current time $T_{h50}$	3.76 $\mu$ s
Max. no. of lum. On circuit break. B16 A	18
Max. no. of lum. On circuit break. C10 A	11
Max. no. of lum. On circuit break. C16 A	18

## APPLICATION & MOUNTING

## יישומים

Application environment	INDOOR
Mounting type	Suspension
Mounting location	Ceiling
Type of protection	IP65
Ambient temperature range	-20...+50°C

## CERTIFICATES & STANDARDS

## תקנים

Nisko Class	VALUE 3 Years
Israeli Standard	Ta=50°C IS 20-1 IS 20-2-1
CB	IEC 60598-1 IEC 60598-2-1 IEC 62031
Photobiological Safety	IEC 62471 RG1 IEC 62778 RG1
EMC	IEC 55015 IEC 61000-3-2 IEC 61000-3-3 IEC 61547
IP 60529	IP65
Protection class IK (shock resistance)	IK06
Green Building	ISO 14001
ISO 9001	✓

## PERFORMANCE

## ביצועים

Lifespan L70	>50000Hrs
Lifespan L80	>32000Hrs

# NISKO



## PHOTOMETRIC DATA

## אופטיקה

Luminous efficacy	107Lm/W
Luminous flux	16000Lm
CCT	6500K
CRI	>80
LED manufacturer	SAMSUNG
Chip type	SMD 2835
Beam angle	100°
CIE class	Direct
Efficiency	100%